

SYLVANIA



2-in-1 multipurpose home luminaire


SylMirror



Sylvania's new SylMirror is as versatile as it is practical! Ideal for mirror lighting to change the look of your bathroom, but also suitable for cabinet lighting in different rooms of the house.

sylvania-lighting.com

SylMirror



The new SylMirror range provides consumers with the latest LED technology in a versatile and practical luminaire.

SylMirror is available in two different shapes – flute and slim – and can be installed in two easy ways – against the wall or above cabinet. It is available in warm white (3000K) and cool white (4000K).

SylMirror is perfect for mirror illumination to enhance the general aesthetics of your bathroom, but can also be used around the house, in the kitchen, living room and bedrooms for cabinet lighting.

SylMirror is an energy efficient solution with an average lifetime of 25,000 hours and is backed by a 2 year warranty for peace of mind.


Features

- 6W and 8W versatile mirror and cabinet lighting luminaires
- Two easy ways to install: against the wall and above cabinet
- Available in two shapes: slim and flute
- Chrome finish
- Available in warm white (3000K) and cool white (4000K)
- Bathroom suitable: IP44 (Zone 2)
- Energy efficient solution with an average lifetime of 25,000h
- Energy class: A++, A+, A
- Non-dimmable
- 2 year warranty


Product information

Code	Description	Voltage (V)	Wattage (W)	Luminous flux (lm)	Efficacy (lm/W)	Beam Angle (°)	CRI	Colour Temperature (K)	IP Rating	IK Rating	Housing Colour	Length (mm)	Width (mm)	Height (mm)	Lifetime (h)
SylMirror															
Slim															
0043213	SylMirror Slim Chrome IP44	220-240	8	560	70	110	≥80	4000	IP44	IK03	Silver & Chrome	400	119.7	46.8	25,000
0043241	SylMirror Slim Chrome IP44	220-240	8	560	70	110	≥80	3000	IP44	IK03	Silver & Chrome	400	119.7	46.8	25,000
Flute															
0043210	SylMirror Flute IP44	220-240	6	540	90	144	≥80	4000	IP44	IK03	Chrome	400	115.3	52.6	25,000
0043235	SylMirror Flute IP44	220-240	6	540	90	144	≥80	3000	IP44	IK03	Chrome	400	115.3	52.6	25,000


Slim



Flute




SylMirror




Installation

Two easy ways to install:

Against the wall




Step 1




Step 2

Above cabinet



Step 1



Step 2

Additional Images





Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Current details should therefore be checked with Feilo Sylvania Europe Limited.

Copyright Feilo Sylvania Europe Limited April 2018

sylvania-lighting.com

A Feilo Sylvania Company