

SYLVANIA



ToLEDo™ VINTAGE

Light is beautiful



by **FEILO SYLVANIA**



LIGHT IS BEAUTIFUL



Cord



Helix



Flow

Introducing the new Sylvania ToLEDo™ Vintage, the first range that can truly replicate the lit effect of incandescent vintage lamps.

The Sylvania ToLEDo™ Vintage lamps feature innovative Flexible Filament Chip Technology (FFCT), which has been specifically designed to create the popular low-lit vintage effect. They are superior in design than standard LED filament lamps and will allow customers to save energy without compromising on the light quality or ambience. The ToLEDo™ Vintage ticks all the boxes for lit effect, design, no glare and efficiency.

Ideal for hotels, restaurants, heritage lighting, bars and decorative applications, the new lamps are available in three unique filament constructions – Helix, Cord and Flow – to replicate the filament design within traditional incandescent lamps.



ToLEDo™ VINTAGE

- The first range of LED lamps that can truly replicate the filament style and lit effect of incandescent vintage lamps.
- NEW and INNOVATIVE – Flexible LED filament technology to create low-lit filament effect.
- Flexible filament construction in three unique shapes – Helix, Cord, Flow – to achieve same effect as traditional vintage lamps.
- 300° omni-directional light distribution.
- Up to 250 lumen.

ToLEDo™ RETRO

- Perfect replacement for traditional incandescent lamps from 25W to 100W.
- Same look and finish as incandescent lamps.
- Linear filament construction design.
- 300° omni-directional light distribution.
- Up to 1531 lumen.



ToLEDo™ Vintage G120 250lm




ToLEDo™ Vintage G95 250lm

ToLEDo™ Vintage Range

The new ToLEDo™ Vintage collection is truly state-of-the-art. Ideal for hotels, restaurants, heritage lighting, bars and decorative applications, the lamps provide omni-directional light distribution of 300°. The range is available in Candle, A60, ST64, Globe 95mm and Globe 125mm lamp types in a golden tinted glass envelope and emits no glare. The ToLEDo™ Vintage has a low colour temperature of 2000K across the range and provides a low lumen output of up to 250lm to create the desired warm and cosy low-lit effect.

With dimmable and non-dimmable options as standard, the ToLEDo™ Vintage lamp offers up to 92% energy savings, compared to 60W incandescent vintage lamps, has an average lifespan of 15,000 hours, and an impressive 100,000 switching cycles. The entire range also delivers impressive lumen efficacy to help reduce CO₂ emissions and is environmentally friendly with no mercury contained in the lamp. The dimmable models have also been extensively tested to ensure it can be dimmed smoothly from 100% to 10%.

The lamps come with a three year warranty for peace-of-mind.



ToLEDo™ Vintage ST64 250lm

ToLEDo™ Vintage A60 125lm

ToLEDo™ Vintage Candle 125lm

FEATURES

- New and innovative Flexible Filament Chip Technology (FFCT) designed to create the low-lit vintage effect.
- Perfect for hotels, restaurants, heritage lighting, bars and decorative applications.
- The ideal LED solution to replace incandescent vintage lamps.
- Low glare – suitable for low height installation.
- 2000K colour temperature, to create a cosy ambience.
- Golden tinted glass envelope.
- 15,000 hours average rated life. Last 7.5 times longer than incandescent vintage lamps.
- Three unique filament construction designs – Helix, Cord and Flow.
- Omni-directional light distribution – 300°.
- Low-lumen output to create low-lit effect – up to 250lm.
- Up to 92% energy saving.
- Dimmable and non-dimmable solutions.
- More than 100,000X switching cycles.
- 3 years warranty.
- Environment friendly – no mercury and lower CO₂ emissions.

Range Ordering Guide



Product information

| Code | Description | Voltage (V) | Power (W) | Luminous flux (lm) | Efficacy (lm/W) | Colour temperature (K) | Base | Life (hours) | Energy class | Lamp height (mm) | Lamp width (mm) |
|---------------------------------|--|-------------|-----------|--------------------|-----------------|------------------------|------|--------------|--------------|------------------|-----------------|
| ToLEDo™ Vintage Candle | | | | | | | | | | | |
| 0027970 | ToLEDo™ Vintage Candle 125lm B22 SL* | 220-240 | 2.3 | 125 | 54 | 2000 | B22 | 15,000 | A+ | 35 | 91 |
| 0027972 | ToLEDo™ Vintage Candle 125lm E27 SL | 220-240 | 2.3 | 125 | 54 | 2000 | E27 | 15,000 | A+ | 35 | 93 |
| 0028010 | ToLEDo™ Vintage Candle 125lm E14 SL | 220-240 | 2.3 | 125 | 54 | 2000 | E14 | 15,000 | A+ | 35 | 97 |
| ToLEDo™ Vintage A60 | | | | | | | | | | | |
| 0027974 | ToLEDo™ Vintage A60 125lm B22 SL* | 220-240 | 2.3 | 125 | 54 | 2000 | B22 | 15,000 | A+ | 60 | 102 |
| 0027976 | ToLEDo™ Vintage A60 125lm E27 SL | 220-240 | 2.3 | 125 | 54 | 2000 | E27 | 15,000 | A+ | 60 | 104 |
| ToLEDo™ Vintage ST64 | | | | | | | | | | | |
| 0027978 | ToLEDo™ Vintage ST64 250lm B22 SL* | 220-240 | 5 | 250 | 50 | 2000 | B22 | 15,000 | A | 64 | 138 |
| 0027980 | ToLEDo™ Vintage ST64 250lm E27 SL | 220-240 | 5 | 250 | 50 | 2000 | E27 | 15,000 | A | 64 | 140 |
| ToLEDo™ Vintage ST64 Dim | | | | | | | | | | | |
| 0028000 | ToLEDo™ Vintage ST64 Dim 250lm B22 SL* | 220-240 | 5.5 | 250 | 45 | 2000 | B22 | 15,000 | A | 64 | 138 |
| 0028002 | ToLEDo™ Vintage ST64 Dim 250lm E27 SL | 220-240 | 5.5 | 250 | 45 | 2000 | E27 | 15,000 | A | 64 | 140 |
| ToLEDo™ Vintage G95 | | | | | | | | | | | |
| 0027982 | ToLEDo™ Vintage G95 250lm B22 SL* | 220-240 | 5 | 250 | 50 | 2000 | B22 | 15,000 | A | 95 | 138 |
| 0027984 | ToLEDo™ Vintage G95 250lm E27 SL | 220-240 | 5 | 250 | 50 | 2000 | E27 | 15,000 | A | 95 | 140 |
| ToLEDo™ Vintage G95 Dim | | | | | | | | | | | |
| 0028004 | ToLEDo™ Vintage G95 Dim 250lm B22 SL* | 220-240 | 5.5 | 250 | 45 | 2000 | B22 | 15,000 | A | 95 | 138 |
| 0028006 | ToLEDo™ Vintage G95 Dim 250lm E27 SL | 220-240 | 5.5 | 250 | 45 | 2000 | E27 | 15,000 | A | 95 | 140 |
| ToLEDo™ Vintage G120 | | | | | | | | | | | |
| 0027986 | ToLEDo™ Vintage G120 250lm B22 SL* | 220-240 | 5 | 250 | 50 | 2000 | B22 | 15,000 | A | 125 | 176 |
| 0027987 | ToLEDo™ Vintage G120 250lm E27 SL | 220-240 | 5 | 250 | 50 | 2000 | E27 | 15,000 | A | 125 | 178 |
| ToLEDo™ Vintage G120 Dim | | | | | | | | | | | |
| 0028008 | ToLEDo™ Vintage G120 Dim 250lm B22 SL* | 220-240 | 5.5 | 250 | 45 | 2000 | B22 | 15,000 | A | 125 | 176 |
| 0028009 | ToLEDo™ Vintage G120 Dim 250lm E27 SL | 220-240 | 5.5 | 250 | 45 | 2000 | E27 | 15,000 | A | 125 | 178 |

* Product made to order.

For a full list of approved dimmers, please visit our website www.feilosylvania.com



EUROPE

Head Office

London
T. +44 (0) 20 7011 9700
info.eu@feilosylvania.com

Belgium

Antwerp
T. +32 (0)3 610 44 44
F. +32 (0)3 610 44 57
info.be@feilosylvania.com

Croatia, Slovenia, BiH, Serbia and Montenegro

Zagreb
T. +385 98 251969
info.hr@feilosylvania.com

Czech Republic and Slovakia

Bratislava
T. +421 911 236 435
info.cz@feilosylvania.com

Estonia, Latvia, Lithuania

Budapest
T. +36 1 888 0639
info.bal@feilosylvania.com

Denmark

Copenhagen
T. +46 8 556 322 00
F. +46 8 556 322 10
info.se@feilosylvania.com

Finland

Helsinki
T. +358 (0)9 5421 2100
info.fi@feilosylvania.com

France

Paris
T. +33 (0)1 55 51 11 00
F. +33 (0)1 55 51 11 08
info.fr@feilosylvania.com

Germany and Austria

Erlangen
T. +49 9131 793 0
F. +49 9131 793 345
info.de@feilosylvania.com

Greece

Athens
T. +30 210 996 65 61
F. +30 210 996 90 29
info.gr@feilosylvania.com

Hungary

INESA Europa Kft
H-2120 Dunakeszi, Pallag u. 30
T. +36 27 200 988
info.hu@feilosylvania.com

Italy

Milan
T. +39 02 24 12 58 11
F. +39 02 24 12 58 80
info.it@feilosylvania.com

Netherlands

Breda
T. +31 (0)76 750 44 44
info.nl@feilosylvania.com

Norway

C/O Feilo Sylvania Sweden AB
T. +46 8 556 322 00
F. +46 8 556 322 10
info.no@feilosylvania.com

Poland

Warsaw
T. +48 601 999 075
info.pl@feilosylvania.com

Portugal

Lisbon
T. +351 21 793 77 36/37
F. +351 21 793 77 38
info.pt@feilosylvania.com

Romania / Bulgaria

Bucharest
T. +40 (0) 720 724 647
info.ro@feilosylvania.com

Russia

Moscow
T. +7 495 935 70 48
F. +7 495 937 70 08
info.ru@feilosylvania.com

Spain

Madrid
T. +34 91 669 90 00
F. +34 91 673 73 64
info.es@feilosylvania.com

Sweden

Stockholm
T. +46 8 556 322 00
F. +46 8 556 322 10
info.se@feilosylvania.com

Switzerland

Zurich
T. +41 44305 31 80
F. +41 44305 31 81
info.ch@feilosylvania.com

UK

Newhaven
T. +44 (0) 800 440 2478
F. +44 (0) 1273 512688
info.uk@feilosylvania.com

MIDDLE EAST

United Arab Emirates

Dubai
T. +971 4 2998141
F. +971 4 2998142
info.ae@feilosylvania.com

AFRICA

South Africa

Johannesburg
T. +27 (0)11 462 0251
F. +27 (0)11 462 7399
sales.sa@feilosylvania.com

ASIA

China

Guangzhou
T. +86 20 3815 1138
F. +86 20 3869 7572
info.cn@feilosylvania.com

Malaysia

Kuala Lumpur
T. +603 2031 8788
F. +603 2031 4788
info.my@feilosylvania.com

Vietnam

Hanoi
T. +844 37 151 604
F. +844 37 151 605
info.vn@feilosylvania.com

AMERICAS

Argentina, Bolivia, Chile, Paraguay, Peru, Uruguay

Buenos Aires
T. +54 11 4546 4200
F. +54 11 4546 4228
info.ar@feilosylvania.com

Caribbean

Honduras, Nicaragua
San José
T. +506 22 107 678
F. +506 22 328 723
info.cr@feilosylvania.com

Colombia

Santafé de Bogota
T. +57 1 782 5200
F. +57 1 719 9621
info.co@feilosylvania.com

Costa Rica

T. +506 22 107 678
F. +506 22 200 338
info.cr@feilosylvania.com

Ecuador

Quito
T. +593 2 281 0773
F. +593 2 281 0007
info.ec@feilosylvania.com

El Salvador

San Salvador
T. +503 2239 2239
F. +503 2284 9670
info.sv@feilosylvania.com

Guatemala

Guatemala City
T. +502 2387 5300
F. +502 2387 5301
info.gt@feilosylvania.com

Mexico

Mexico D.F.
T. +52 55 4627 5500
F. +52 55 5387 7671
marketing@feilo-sli.com.mx

Panama

Panama City
T. +507 236 1000
F. +507 236 1315
info.pa@feilosylvania.com

Venezuela

Caracas
T. +58 212 381 0452
F. +58 212 381 0350
info.ve@feilosylvania.com